

IN THE CLAIMS

Please amend the claims as follows.

For the Examiner's convenience, a list of all claims is included below.

1. (Currently Amended) A method comprising a first network computer (NC) client of a plurality of NC clients causing other of the plurality of NC clients that are subsequently booted from a network to receive a second operating system software that is configured differently than a first operating system software by replacing a first set of one or more system volumes maintained at a NC server containing the first operating system software with a second set of one or more system volumes maintained at the NC server containing second operating system software.

2. (Currently Amended) A method comprising:
a network computer (NC) client causing a working copy of one or more system volumes on a NC server to be created by copying the one or more system volumes to a storage area separate from the location of the one or more system volumes, the one or more system volumes containing operating system software that is utilized by each of the plurality of NC clients; and
the NC client causing each of a plurality of NC clients that are subsequently booted from a network to utilize a same single modified operating system by modifying the working copy and replacing the one or more system volumes with the working copy.

3. (Currently Amended) A method comprising:
a network computer (NC) client booting from a boot image provided by a NC server, the boot image including information identifying the location of one or more system volumes on the

NC server, the one or more system volumes containing operating system software;

creating a working copy of the one or more system volumes by copying the one or more system volumes to a storage area separate from the location of the one or more system volumes;
and

modifying the operating system software supplied by the NC server to subsequently ~~booted~~ net-booted NC clients by modifying, by the NC client, the working copy and replacing the one or more system volumes with the working copy.

4. (Previously Presented) The method of claim 1, further comprising the NC client causing those of the plurality of NC clients that subsequently open an application to utilize a modified version of the application by replacing the first set of one or more system volumes, wherein the first set of one or more system volumes further comprise application software.

5. (Previously Presented) The method of claim 1, wherein at least one NC client of the plurality of NC clients is not rebooted for a period of time after replacing the first set of one or more system volumes.

6. (Original) The method of claim 1, wherein the operating system software comprises one of Macintosh, Microsoft Windows 95, Microsoft Windows 98, Microsoft Windows NT, Microsoft Windows 2000, Microsoft Windows CE, AIX, UNIX, and Linux.

7. (Previously Presented) The method of claim 2, further comprising the NC client causing those of the plurality of NC clients that subsequently open an application to utilize a modified version of the application by replacing the one or more system volumes, wherein the one or more system volumes further comprise application software.

8. (Original) The method of claim 2, wherein the operating system software comprises one of Macintosh, Microsoft Windows 95, Microsoft Windows 98, Microsoft Windows NT, Microsoft Windows 2000, Microsoft Windows CE, AIX, UNIX, and Linux.

9. (Original) The method of claim 3, further comprising changing an application software supplied by the NC server to NC clients that subsequently open the application by modifying the working copy and replacing the one or more system volumes with the working copy, wherein the one or more system volumes further comprise application software.

10. (Original) The method of claim 3, wherein the operating system software comprises one of Macintosh, Microsoft Windows 95, Microsoft Windows 98, Microsoft Windows NT, Microsoft Windows 2000, Microsoft Windows CE, AIX, UNIX, and Linux.

11. (Currently Amended) A method comprising ~~the steps of:~~
~~a step for~~ a network computer (NC) client causing a working copy of one or more system volumes on a NC server to be created by copying the one or more system volumes to a storage

area separate from the location of the one or more system volumes, the one or more system volumes containing operating system software that is utilized by each of the plurality of NC clients; and

~~a step for~~ the NC client causing each of those a plurality of NC clients that are subsequently booted from a network to utilize a modified operating system by modifying the working copy and replacing the one or more system volumes with the working copy.

12. (Currently Amended) A machine-readable medium having stored thereon data representing sequences of instructions, the sequences of instructions which, when executed by a processing system~~processor~~, cause the processing system ~~processor~~ to perform:

a network computer (NC) client causing a working copy of one or more system volumes on a NC server to be created by copying the one or more system volumes to a storage area separate from the location of the one or more system volumes, the one or more system volumes containing operating system software that is utilized by each of the plurality of NC clients; and

causing a plurality of NC clients that are subsequently booted from a network to utilize a same modified operating system by modifying the working copy and replacing the one or more system volumes with the working copy.

13. (Currently Amended) A method comprising:

causing each of a plurality of network computer (NC) clients that are booted from a network to utilize a single modified operating system by:

receiving a request to create a single working copy of one or more system volumes, the one or more system volumes containing a single operating system software that is utilized by each of the plurality of NC clients;

in response to receiving the request, creating the single working copy by copying the one or more system volumes to a storage area separate from the location of the one or more system volumes;

receiving modifications to the single working copy;

updating the single working copy in response to the receiving modifications; and

replacing the one or more system volumes with the single working copy.

14. (Currently Amended) An apparatus comprising:

a network computer (NC) server comprising a first set of one or more system volumes;

a plurality of NC clients, wherein one of the plurality of NC clients is configured to cause each of those of the plurality of NC clients that are subsequently booted from a network to receive a second operating system that is configured differently than a first operating system in effect by replacing a first set of one or more system volumes maintained at the NC server containing the first operating system software with a second set of one or more system volumes containing second operating system software ~~operating system that is configured differently that~~ ~~that currently in effect by replacing the one or more system volumes with one or more different system volumes.~~

15. (Currently Amended) An apparatus comprising:

a network computer (NC) server means comprising a first set of one or more system volume means;

a NC client means for causing a plurality of NC clients means that are subsequently booted from a network to receive a second operating system software that is configured

differently than a first operating system in effect by replacing a first set of one or more system volume means maintained at the NC server containing the first operating system software with a second set of one or more system volume means containing second operating system software operating system that is configured differently that that currently in effect by replacing the one or more system volumes with one or more different system volume means.